Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

What is claimed is

1. (Previously Presented) A compound of formula (I):

$$Ar - CHCH_2NHCR^4R^5(CH_2)_m - O - (CH_2)_n - R^2 - R^1$$
 OH (I)

or a salt, solvate, or physiologically functional derivative thereof, wherein:

m is an integer of from 2 to 8; and n is an integer of from 3 to 11; with the proviso that m + n is 5 to 19;

 R^1 is SR^6 , SOR^6 , or SO_2R^6 , wherein R^6 is a C_{3-7} cycloalkyl or C_{3-7} cycloalkenyl group;

 R^2 and R^3 are independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} alkoxy, halo, phenyl, and C_{1-6} haloalkyl;

 R^4 and R^5 are independently selected from hydrogen and C_{1-4} alkyl with the proviso that the total number of carbon atoms in R^4 and R^5 is not more than 4;

Ar is a group selected from

wherein R⁸ represents hydrogen, halogen, -(CH₂)_qOR¹¹, -NR¹¹C(O)R¹², -NR¹¹SO₂R¹², -SO₂NR¹¹R¹², -NR¹¹R¹², -OC(O)R¹³ or OC(O)NR¹¹R¹², and R⁷ represents hydrogen, halogen, or C₁₋₄ alkyl;

or R⁸ represents –NHR¹⁴ and R⁷ and –NHR¹⁴ together form a 5- or 6- membered heterocyclic ring;

R⁹ represents hydrogen, halogen, –OR¹¹ or –NR¹¹R¹²;

 R^{10} represents hydrogen, halo C_{1-4} alkyl, -OR¹¹, -NR¹¹ R^{12} , -OC(O)R¹³ or OC(O)NR¹¹R¹²;

 R^{11} and R^{12} each independently represents hydrogen or C_{1-4} alkyl, or in the groups -NR¹¹R¹², -SO₂NR¹¹R¹² and -OC(O)NR¹¹R¹², R¹¹ and R¹² independently represent hydrogen or C_{1-4} alkyl or together with the nitrogen atom to which they are attached form a 5-, 6- or 7- membered nitrogen-containing ring,

 R^{13} represents an aryl group which may be unsubstituted or substituted by one or more substituents selected from halogen, C_{1-4} alkyl, hydroxy, C_{1-4} alkoxy or halo C_{1-4} alkyl; and

q is zero or an integer from 1 to 4.

- 2. (Currently Amended) A compound according to Claim 1, wherein R^8 is selected from the group consisting of halogen, -(CH₂)_qOR¹¹, -NR¹¹C(O)R¹², -NR¹¹SO₂R¹², -SO₂NR¹¹R¹², -NR¹¹R¹², -OC(O)R¹³, er OC(O)NR¹¹R¹², and -NHR¹⁴ and R^7 and -NHR¹⁴ together form a 5- or 6- membered heterocyclic ring.
- 3. (Previously Presented) A compound according to claim 1 wherein R¹ represents –SO₂R⁶.
- 4. (Previous Presented) A compound according to claim 1 wherein R^6 represents a C_{3-7} cycloalkyl group.
- 5. (Previously Presented) A compound according to claim 1 wherein R² and R³ each represent hydrogen.
- 6. (Previously Presented) A compound according to claim 1 wherein R⁴ and R⁵ are independently selected from hydrogen and methyl.

7. (Previously Presented A compound according to claim 1 wherein Ar is selected from a group (a) or (b):

$$R^{8}$$
 R^{9}
 R^{10}
 R^{10}
 R^{10}
 R^{10}
 R^{10}
 R^{10}

8. (Original) A compound of formula (la):

$$\begin{array}{c} \text{HOCH}_2\\ \text{HO} \\ \begin{array}{c} \text{CHCH}_2\text{NHCR}^4\text{R}^5\text{(CH}_2)_m \\ \text{OH} \end{array} \\ \end{array} \begin{array}{c} \text{CHCH}_2\text{NHCR}^4\text{R}^5\text{(CH}_2)_m \\ \end{array} \\ \begin{array}{c} \text{CHCH}_2\text{NHCR}^4\text{(CH}_2)_m \\ \end{array} \\ \begin{array}{c} \text{CHCH}_2\text{NHCR}^4\text{R}^5\text{(CH}_2)_m \\ \end{array} \\ \begin{array}{c} \text{CHCH}_2\text{NHCR}^4\text{R}^5\text{(CH}_2\text{NHCR}^4\text{R}^5\text{(CH}_2)_m \\ \end{array} \\ \begin{array}{c} \text{CHCH}_2\text{NHCR}^4\text{(CH}_2)_m \\ \end{array} \\ \begin{array}{c} \text{CHCH}_2\text{NHCR}^4\text{NH$$

or a salt, solvate, or physiologically functional derivative thereof, wherein:

m is an integer of from 2 to 8; and n is an integer of from 3 to 11; with the proviso that m + n is 5 to 19;

 R^1 is SR^6 , SOR^6 , or SO_2R^6 , wherein R^6 is a $C_{3\text{--}7}$ cycloalkyl or $C_{3\text{--}7}$ cycloalkenyl group;

 R^2 and R^3 are independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} alkoxy, halo, phenyl, and C_{1-6} haloalkyl; and

R⁴ and R⁵ are independently selected from hydrogen and C₁₋₄alkyl with the proviso that the total number of carbon atoms in R⁴ and R⁵ is not more than 4.

- 9. (Previously Presented A compound according to claim 1 wherein m is 5 or 6 and n is 3 or 4.
- 10. (Previously Presented) A compound selected from the group consisting of:
- 4-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfinyl)phenyl]butoxy}hexyl)amino]-1-

hydroxyethyl}-2-(hydroxymethyl)phenol;

4-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfinyl)phenyl]butoxy}hexyl)amino]-1-

hydroxyethyl}-2-(hydroxymethyl)phenol (Isomer 1);

4-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfinyl)phenyl]butoxy}hexyl)amino]-1-

hydroxyethyl}-2-(hydroxymethyl)phenol (Isomer 2);

4-{(1R)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-

hydroxyethyl}-2-(hydroxymethyl)phenol;

4-{(1R)-2-[(6-{4-[4-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-

hydroxyethyl}-2-(hydroxymethyl)phenol;

4-((1R)-2-{[6-({4-[3-(Cyclohexylsulfonyl)phenyl]butyl}oxy)hexyl]amino}-1-

hydroxyethyl)-2-(hydroxymethyl)phenol;

hydroxyethyl)-2-(hydroxymethyl)phenol;

 $4-((1R)-2-\{[6-(\{5-[3-(Cyclopentylsulfonyl)phenyl]pentyl\}oxy)hexyl]amino\}-1-((1R)-2-\{[6-(\{5-[3-(Cyclopentylsulfonyl)phenyl]pentyl\}oxy)hexyl]amino\}-1-((1R)-2-\{[6-(\{5-[3-(Cyclopentylsulfonyl)phenyl]pentyl\}oxy)hexyl]amino\}-1-((1R)-2-\{[6-(\{5-[3-(Cyclopentylsulfonyl)phenyl]pentyl\}oxy)hexyl]amino\}-1-((1R)-2-(\{5-[3-(Cyclopentylsulfonyl)phenyl]pentyl]pentyl]pentyl]pentyl$

hydroxyethyl)-2-(hydroxymethyl)phenol;

4-((1R)-2-{[7-({3-[3-(Cyclopentylsulfonyl)phenyl]propyl}oxy)heptyl]amino}-1-

hydroxyethyl)-2-(hydroxymethyl)phenol;

4-((1R)-2-{[6-({4-[3-(Cyclopentylsulfonyl)-5-methylphenyl]butyl}oxy)hexyl]amino}-1-

hydroxyethyl)-2-(hydroxymethyl)phenol;

 $N-[5-((1R)-2-\{[6-(\{4-[3-(Cyclopentylsulfonyl)phenyl]butyl\}oxy)hexyl]amino}-1-$

hydroxyethyl)-2-hydroxyphenyl]methanesulfonamide;

4-((1*R*)-2-{[6-({4-[3-(Cyclopentylsulfonyl)phenyl]butyl}oxy)hexyl]amino}-1-hydroxyethyl)-2-fluorophenol;
6-{2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)pyridin-3-ol;
5-{(1*R*)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-8-hydroxy-3,4-dihydroquinolin-2(1*H*)-one;
5-{(1*R*)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-hydroxyphenylformamide;

salts thereof, solvates thereof, and physiologically functional derivatives thereof.

- 11. (Previously Presented) A compound according to Claim 10 which is: 4-{(1*R*)-2-[(6-{4-[3-(Cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)phenol; or a salt, solvate, or physiologically functional derivative thereof.
- 12. (Previously Presented) A compound according to claim 1 in the form of a salt formed with an arylsulphonic acid.
- 13. (Previously Presented) A compound according to claim 8 which is selected from the group consisting of:

 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl) phenol 4-methylbenzenesulfonate;

 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)phenol 4-bromobenzene sulfonate;

 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)phenol 4-chlorobenzene sulfonate

 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)phenol 3-toluene sulfonate;

 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl) phenol 4-biphenyl sulfonate; and

 4-{(1R)-2-[(6-{4-[3-(cyclopentylsulfonyl)phenyl]butoxy}

hexyl)amino]-1-hydroxyethyl}-2-(hydroxymethyl)phenol,naphthalene-2-sulfonate.

- 14. (Original) A compound according to claim 13 wherein the salt is in crystalline form.
- 15. (Previously Presented) A method for the prophylaxis or treatment of a clinical condition in a mammal, for which a selective β_2 -adrenoreceptor agonist is indicated, which comprises administering a therapeutically effective amount of a compound according to claim 1 or a pharmaceutically acceptable salt, solvate, or physiologically functional derivative thereof.
- 16. (Canceled)
- 17. (Previously Presented) A pharmaceutical formulation comprising a compound according to claim 1 or a pharmaceutically acceptable salt, solvate, or physiologically functional derivative thereof, and a pharmaceutically acceptable carrier or excipient, and optionally one or more other therapeutic ingredients.
- 18. (Previously Presented) A combination comprising a compound according to claim 1 or a pharmaceutically acceptable salt, solvate, or physiologically functional derivative thereof, and one or more other therapeutic ingredients.
- 19-21. (Canceled)
- 22. (Previously Presented) A compound according to claim 1, wherein R¹³ is a phenyl group.
- 23. (Previously Presented) A compound according to claim 1, wherein R¹³ is a naphthyl group.

File No. PG4979USw

24. (Previously Presented) A method according to Claim 15, wherein the mammal is a human.

25-34 (Canceled)